

consisting of a toxin material, a label, a cytotoxic material, ricin A chain, diphtheria

toxin, Pseudomonas exotoxin A,\idarubicin, a radioisotope label, and technetium-99m;

EXPRESS MAIL NO. EM375440401US - 2 -



together with a pharmaceutically acceptable carrier.--

A method for inhibition of angiogenesis in a patient, said --18. angiogenesis being associated with the growth of solid tumors, the method comprising administering to the patient an inhibition-effective amount of an antibody selected from the group consisting of an antibody which specifically binds proliferating human endothelial cells, a monoclonal antibody which specifically binds proliferating human endothelial cells, an antibody which specifically binds proliferating human umbilical vein endothelia) cells (HUVEC), an antibody which specifically binds proliferating human umbilidal artery endothelial cells (HUAEC), a monoclonal antibody which specifically binds proliferating human umbilical vein endothelial cells (HUVEC), a monoclonal antibody which specifically binds proliferating human umbilical artery endothelial cells (HUAEC), and an antibody-conjugate comprising an antibody and a conjugate material, said antibody of said antibody-conjugate being selected from the group consisting of an antibody/which specifically binds proliferating human endothelial cells, a monoclohal antibody which specifically binds proliferating human endothelial cells, an antibody which specifically binds proliferating human umbilical vein endothelial cells (HUVEC), an antibody which specifically binds proliferating human umbilical artery endothelial cells (HUAEC), a monoclonal antibody which specifically binds proliferating human umbilical vein endothelial cells (HUVEC), and a monoclonal antibody which specifically binds proliferating human umbilical artery EXPRESS MAIL NO. EM375440401US - 3 -



endothelial cells (HUAEC), and said conjugate material being selected from the group consisting of a toxin material, a label, a cytotoxic material, ricin A chain, diphtheria toxin, Pseudomonas exotoxin A, idarubicin, a radioisotope label, and technetium-99m.--

--19. A method for treatment of tumor associated angiogenesis in a patient, which comprises administration to said patient of a therapeutic-effective amount of an antibody selected from the group consisting of an antibody which specifically binds proliferating human endothelial cells, a monoclonal antibody which specifically binds proliferating human endothelial cells, an antibody which specifically binds proliferating human umbilical vein endothelial cells (HUVEC), an antibody which specifically binds proliferating human umbilical artery endothelial cells (HUAEC), a monoclonal antibody /which specifically binds proliferating human umbilical vein endothelial cells (HUVEC), a monoclonal antibody which specifically binds proliferating human umbilical aftery endothelial cells (HUAEC), and an antibody-conjugate comprising an antibody and a conjugate material, said antibody of said antibodyconjugate being selected from the group consisting of an antibody which specifically binds proliferating human endothelial cells, a monoclonal antibody which specifically binds proliferating human endothelial cells, an antibody which specifically binds proliferating human umbilical vein endothelial cells (HUVEC), an antibody which specifically binds proliferating human umbilical artery endothelial cells (HUAEC), a

EXPRESS MAIL NO. EM375440401US - 4 -